

KME12 MINI EXCAVATOR SPEC SHEET



Features:

<p>Yanmar Euro 5 Engine</p>	<p>LED Light With High Quality</p>	<p>New Radiator</p>
<p>Casting Swing Parts</p>	<p>Casting Counterweight</p>	<p>Well Known Motor</p>
<p>Inside container</p>	<p>Boom Cylinder Protected Well</p>	<p>Digital dashboard</p>

Specifications:

Type of cab		Canopy	
Bucket capacity		m ³	0.03
Bucket width, std.		mm	400
Machine weight		kg	1200
Dimensions	Overall length	mm	3050
	Overall height	mm	2588
	Overall width	mm	880
	Ground clearance	mm	120
Engine	Brand	Yanmar	
	Model	3TNV70	
	Displacement	L	0.854
	Output	kW/rpm	10.0/2200
Working ranges	Max Digging height	mm	3018
	Max Dumping height	mm	2039
	Max digging depth	mm	1809
	Max. Digging radius	mm	3390
	Min .swing radius	mm	1591
	Max digging force (Arm)	kN	6.2
	Max digging force (Bucket)	kN	8
Track	Type	Rubber track	
	Rubber shoe width	mm	180
Undercarriage	Track length	mm	1296
	Traveling speed	km/h	2
	Gradeability	deg	58/30°
Swing speed		rpm	13
Ground pressure		kpa	30
Dozer size	Width	mm	840
	Height	mm	240
	Lifting capacity (Height/Depth)	mm	150/200
Hydraulic pumps	Type	Gear pump	
	Flow rate	L/min	20.4
	Hydraulic pressure	Mpa	18
Swing motor		RMR-315	
Travel motor		R6K-310	
Fuel tank capacity		L	15
Hydraulic oil tank capacity		L	13