



www.machinerynz.co.nz | info@machinerynz.co.nz

## **New Mini Wheel Loader HQ280 With CE**



**Standard**: China changchai engine ,Mechnical Joystick, China hydraulic system,quick hitch, 31\*15.5-15 wide tire, closed cabin with heater, rear view camera, bucket etc.

## Option:

- 1, Euro 5 or EPA 4 Engine
- 2, Electric Joystick
- 3, Italy PWG Hydraulic system.

## **Main Features:**

- 1) Low height design on the whole wheel loader ,fit small place work ;
- 2) Fix / maintance cost is low, also is very easy;
- 3) Turning radius is very small, save work time, better performance;

- 4) Can choice high speed gearbox for different work environment;
- 5) More fit Europe rule, like rear power link / adjustable trailer pin / different engine choice and so on;

## **Main Specifications:**

	Operation weight(kg)	2550
Specification	L×W×H(mm)	4290X1350X2290mm
	Rated bucket capacity(m³)	0.5
	Rated load	1200KG
	Max. dump height (mm)	2400
	Max. speed(km/h)	20
	Bucket indicator	Yes
	Heater	Yes
	Reverse image	Yes
Engine	Model	Standard CHANGCHAI ZN390Q
	Туре	Vertical, In-line , Water cooling, four-stroke diesel engine
	Rated power(kw)	25kW
	Optional engine	EURO5 CHANGCHAI/YUNNEI
Transmission system  Hydraulic system	Туре	Hydrostatic ( china top brand )
	Gear shift	2 gears ahead,2 gear astern
	Working pressure	16Мра
	Boom lifting time	4.8s
	Fuel tank capacity	60L
	Hydraulic tank capacity	40L
Steering system Type		Hydraulic steering

	<b>:</b>		- 8
Min turning	radius(mm)	3000	- 1
IVIIII. turriirig	j radius(iiiii)	3000	- 1
i i	· · · · · · · · · · · · · · · · · · ·		
i i	•		

Tires 31\*15.5-15







Note: Specifications and design are subject to change without prior notice.